

TestkingPass



Try Before You Buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor...

Select an exam...

Your email address

[Free Download](#)



 HAPPY CUSTOMERS 51892	 DOWNLOADS 68912	 TEAM MEMBERS 56892	 SHARES 75162
---	---	--	--



<http://www.testkingpass.com>

Reliable test dumps & stable pass king & valid test questions

Exam : **ACE-A1.2**

Title : Arista Certified Engineering Associate

Vendor : Arista

Version : DEMO

NO.1 When using LANZ, which command would show you the number of segments configured on an Ethernet interface?

- A. show queue-monitor length status
- B. show lanz summary
- C. show lanz status
- D. show queue-monitor length summary

Answer: A

NO.2 If you create a schedule job named "Colleen-Job", where will the output of the scheduled commands be placed?

- A. /mnt/flash/Colleen-Job/
- B. /mnt/flash/schedule/Colleen-Job/
- C. flash:Colleen-Job
- D. /mnt/flash/schedule/colleen-job/

Answer: D

NO.3 The VXLAN spec allows for two implementation types. One uses multicast. What is the other one called?

- A. Head-end Replication
- B. BUM-Replication
- C. Fore-end Replication
- D. Non-multicast replication

Answer: A

NO.4 If you have an Arista switch with SFPs, which command will show the temperature of those SFPs?

- A. show interfaces
- B. show interfaces status
- C. show interfaces transceiver
- D. show sfp monitor

Answer: C

NO.5 Which of the following commands is being deprecated and will not be supported in the near future?

- A. copy run start
- B. write memory
- C. none of the above
- D. copy running-config startup-config

Answer: C

NO.6 True or False: XMPP Management is enabled by default.

- A. FALSE
- B. TRUE

Answer: A

NO.7 What is the abbreviation for the term used to describe a device capable of encapsulating and decapsulating VXLAN packets?

- A. VTP
- B. VXLAN
- C. VNI
- D. VTEP

Answer: D

NO.8 In what file might "DISABLE=True" be found on a switch with no other configuration?

- A. api-config
- B. eapi-config
- C. zerotouch-config
- D. mlag-config

Answer: C

NO.9 Many Arista switches support reversible air flow. When the fans installed on such a switch have red handles, which of the following statements would be correct?

- A. Warm air will be pulled in from the starboard side of the switch.
- B. Cold air will be pulled in from the port side of the switch.
- C. Hot air will be ejected from the fan side of the switch.
- D. Hot air will be pulled in from the fan side of the switch.

Answer: C

NO.10 What does Arista use as a filename extension when creating EOS extensions?

- A. .extension
- B. .swix
- C. .swx
- D. .ext

Answer: B

NO.11 Which of the following are valid Event Manager triggers?

- A. on-boot
- B. on-schedule
- C. on-reload
- D. on-startup-config

Answer: A,D

NO.12 On what interface(s) will ZTP send out requests?

- A. All interfaces.
- B. All connected interfaces.
- C. Only the console.

D. Only the management interface.

Answer: B